Czech secondary distribution box dimensions and specifications

Overview

This document provides specifications for various distribution boxes including dimensions, mounting sizes, and number of ways.

Key Takeaways

Czech secondary distribution boxes typically range from 200–328 mm in length, 172–174 mm in width, and 95 mm in height, made from flame-resistant ABS plastic and compliant with BS EN60439-3 standards.

Dimensions and Series

Czech secondary distribution boxes are available in multiple series, each with specific dimensions and outlet capacities: MB-ABC Series: Length 200–328 mm, Width 172–174 mm, Height 95 mm. Designed for flush mounting and modular equipment installation. MB-AF, MB-AS, MB-LF Series: Similar modular boxes with varying lengths, widths, and heights to accommodate different numbers of ways (outlets) and installation requirements.

These boxes are suitable for AC 50Hz circuits with rated voltages of 220V/380V, commonly used in residential, commercial, and industrial settings such as hospitals, airports, and high-rise buildings.



© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Material and Standards

Constructed from flame-resistant ABS plastic, providing excellent insulation, impulse resistance, and fire safety. Compliant with BS EN60439-3 and JB/T7121-93 standards, ensuring safety and reliability for electrical installations. Designed for easy installation and dismounting, with modular compatibility for LsA-PLUs® series 2 backmount frame modules and LsA PROFIL modules, optionally including overvoltage protection.

Features

Modular design allows flexible configuration for different numbers of circuits. Indoor and outdoor use with robust construction. Elegant appearance and practical structure for easy access and maintenance.

Optional lockable covers and compatibility with risers for added height in certain models.

Applications

These distribution boxes are widely used for: Residential and commercial electrical distribution. Branching and connection points for modular electrical systems. Environments requiring safe, flame-resistant, and standardized enclosures for electrical circuits.

Czech secondary distribution boxes provide a reliable, modular, and standardized solution for electrical distribution, combining compact dimensions, durable materials, and compliance with international safety standards.

Article Content

Technical Requirements for Secondary Distribution Boxes

Thanks to the use of SF6 insulation, compact dimensions. The metal distribution box is designed for a wide range of low-voltage applications in residential buildings, commercial complexes, offi ces, and

Distribution box catalogue | PDF

This document provides specifications for various distribution boxes including dimensions, mounting sizes, and number of ways. It includes specifications for TOP-TS, TOP-TF, TOP-LS, TOP-PS, TOP

Secondary unit substations design guide

Secondary windings are either full height sheet conductors or wire conductor dependent on the voltage and kVA rating. The layer-to- layer insulation is coated with a diamond pattern of B

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Layout requirements for secondary distribution boxes

This document represents the minimum requirements and specifications for the installation of the electrical underground distribution systems fed from padmounted transformation, serving Secondary

Distribution Box and Selection Guide: Internal Structure, Components ...

Learn how to choose a distribution box and understand its internal structure, including MCBs, busbars, neutral bars, earth bars, RCDs, RCBOs, SPDs, enclosure ratings, and wiring layout.

Electrical Distribution Boxes for Power Distribution | Wieland

From decentralized energy, signal and data distribution to distribution boxes for smart buildings, we offer the right solution. We mount any electronics in the manifolds! All options are open here, and the

Secondary Distribution Box

The Secondary Distribution Box (SDB) receives power from Main Power Distribution box via an extender cable and provides a central power distribution to feed normal branch circuits to the electric floor

Secondary Distribution Board Specifications | PDF | Electrical ...

This document provides specifications for secondary distribution boards. It includes three parts: general requirements, products and systems, and field installation work.

TECHNICAL SPECIFICATION FOR LT DISTRIBUTION BOX

General Technical Particulars for LT Distribution Boxes : - The L.T. Distribution Boxes should be of the dimensions as per the drawing & details in the table furnished. approved clearances and technical

Standard specifications for distribution boxes default

This document provides specifications for various types of plastic distribution boxes, including their dimensions and features. It describes HA, HK, and LGD series

Distribution Box Specifications And Models

There are many specifications and models of Distribution box. The following are some common specifications and models of distribution boxes and

What is the difference between primary, secondary and tertiary ...

1. The first-level distribution box is relative to a certain building or factory, which is the first-level distribution box of the cable directly drawn from the substation or municipal power distribution

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

secondary distribution box,Class IIdistribution box-Ayump Electric

In other words, each equipment has its own separate distribution box, which is called three-level distribution box. Then, several three-level distribution boxes are summarized to become a two-level

Distribution box | PDF

This document provides specifications for various types of plastic distribution boxes, including their dimensions and features. It describes HA, HK, and LGD series

Secondary Distribution Box

6a0d6022-9e51-481d-b5f5-bb72a07ca7c1 The Secondary Distribution Box (SDB) receives power from Main Power Distribution box via an extender cable and provides a central power distribution to feed

The Meaning and Function of Primary, Secondary, and Tertiary ...

Follows the principle of "one machine, one switch, one RCD, one box, one lock," ensuring no single switch controls multiple devices. This explanation aims to clarify the roles and functions of

"Guidelines for Household Distribution Box Specifications and ...

For smaller boxes, wooden blocks can be pre-installed at the corners to facilitate mounting with wood screws. 2. **Concealed Installation**: - If the distribution box is to be embedded

Specifications for Electrical Underground Residential Distribution

30" min. Primary Conduit and Secondary Conduit Horizontally Arranged Separation dimensions apply to company conduits or cables only. Maintain 12" separation between company conduits or cables and

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://ensaa.es
Technical inquiry: https://ensaa.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved