Oscillation Center of Relay Protection



Overview

The dataset aims to advance research on power system analysis, fault detection, and machine learning-driven relay protection.

Key Takeaways

The oscillation center is the reference point in a power system around which voltage and current oscillations occur during power swings, used by protective relays to distinguish stable swings from faults.

Concept Overview

In power systems, oscillations occur when generator rotor angles fluctuate due to disturbances such as faults, loss of transmission capacity, or sudden load changes. These oscillations cause power swings, which can lead to unwanted relay operations if not properly detected. The oscillation center represents a virtual point in the network around which these swings are measured, serving as a reference for protective relays to determine whether a swing is stable or indicates a loss of synchronism (,).

Role in Relay Protection

Protective relays, particularly distance relays, rely on impedance measurements to detect faults. During a power swing, the apparent impedance seen by the relay changes dynamically. If the relay cannot distinguish between a normal swing and a fault, it may trip unnecessarily, destabilizing the system.

By referencing the oscillation center, relays can implement Power Swing Blocking (PSB) or Out-of-Step Tripping (OST): Power Swing Blocking (PSB): Prevents relay operation during stable swings, avoiding unnecessary disconnection of lines (,).

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Out-of-

Step Tripping (OST): Allows tripping when the swing becomes unstable, indicating potential loss of synchronism ( ). Determination of the Oscillation CenterThe oscillation center is typically calculated using rate-of-change-of-swing-center voltage or impedance trajectory methods. These methods track the relative motion of generators and system voltages: Rate-of-Change-of-Swing-Center Voltage: Measures the speed of voltage changes relative to the oscillation center, independent of line parameters or load levels, simplifying relay settings ( ).

Impedance Trajectory Methods: Use the path of measured impedance during swings to identify the center and decide whether to block or trip the relay ( ).

Practical Implications

Using the oscillation center in relay protection ensures: System stability by preventing unnecessary tripping during stable swings. Selective tripping during unstable swings to isolate only affected areas. Adaptation to modern grids, including low-inertia sources like solar and wind, which can cause faster and more complex oscillations ( ).

In summary, the oscillation center is a critical reference for modern protective relays, enabling them to differentiate between normal power swings and actual faults, thereby maintaining system reliability and stability.

Article Content

Research on oscillation center identification and its application in ...

After analyses the relationship between oscillation center and the current and the voltage in protection installation site, this paper provides a novel method to locate the oscillation center

A dataset of real-world oscillograms from electrical power grids

The dataset aims to advance research on power system analysis, fault detection, and machine learning-driven relay protection.

Performance of protection relays during stable and unstable power ...

This work will characterise and evaluate the impact of stable and unstable power swings on a wide range of protection functions in protection relays.

Practical handbook for relay protection engineers | EEP

Relay protection circuitry This handbook covers the code of practice in protection circuitry including standard lead and device numbers, mode of

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Power System Protective Relays: Principles & Practices

Protective relays and devices have been developed over 100 years ago to provide “last line” of defense for the electrical systems. They are intended to quickly identify a fault and isolate it so the balance of

Performance of Protection Relays During Stable and

The proposed scheme possesses greater sensitivity and selectivity to operate relaying schemes in more dependable and secured manner. The

Immunityin Distance Protection of Oscillations

In this paper, we focus on the characteristics of multiphase compensated relays that do not respond to oscillations without faults for in-depth analysis and explore the feasibility of the

Performance of Protection Relays During Stable and

Modulation in voltage and current waveforms during power swing affects the performance of different network protection schemes for faults,

Out-of-step protection in power system

Mostly the relays used in pilot relaying systems will operate during power swings and oscillations. The backup zone protection relays are, however, set to predefined time delay settings and hence, will not

The basics of power system protection that every

Introduction to relay protection Protection is the branch of electric power engineering concerned with the principles of design and operation of

Research on oscillation center identification and its application in ...

The identification of oscillation center is of importance for improving distance protection to avoid the malfunction of distance protection in power oscillation. After analyses the relationship between

Relay Performance During Major System Disturbances

The fundamentals of out-of-step (OOS) protection Discuss which relays and relay systems are prone to operate during power swings

Protection Against Sub-Synchronous Oscillations, A Relay Model

Protection Against Sub-Synchronous Oscillations, A Relay Model Dinesh Rangana Gurusinghe, Sachintha Kariyawasam, and Dean S. Ouellette Abstract—With increased integration of renewable

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved

Protection Against Sub-Synchronous Oscillations, A Relay Model

This paper presents design and implementation of a SSO relay model that can effectively extract sub-synchronous components in system measurements to quickly detect SSO conditions.

Microsoft Word

To preserve the protection security against external faults during system OOS, it is necessary to block distance Zone 1 elements for those relays that the OOS center falls into their Zone 1 protection region.

Performance of protection relays during stable and unstable power

This basic relationship between the period and magnitude of the oscillation in voltage magnitude is critical to understanding how power swings impact protection relay functions. The voltage oscillation

Understanding Protective Relays in Power Systems

Protective relays are critical components in power systems, providing essential protection for various elements such as generator sets, outgoing feeder and load networks, and incoming utility

Tutorial on Power Swing Blocking and Out-of-Step Tripping

sible scenarios and operating conditions were considered. The swing center voltage (SCV) method calculates the positive-sequence SCV rate of change and does not require any

Contact Us

Continue your research online:

Website: https://ensaa.es
Technical inquiry: https://ensaa.es/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ENSAA OPTICAL NETWORKS - All rights reserved